Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

CALIFORNIA—*Sacramento.*—Estimated population, 30,000. Total deaths, 37, including 6 from phthisis pulmonalis.

CONNECTICUT—*Hartford.*—Month of November, 1896. Estimated population, 72,000. Total deaths, 66, including phthisis pulmonalis, 6; enteric fever, 4; diphtheria, 3, and measles, 2.

Westport.—Month of November, 1896. Estimated population, 4,000. Total deaths, 5, including 1 from phthisis pulmonalis.

FLORIDA—*Tampa.*—Month of November, 1896. Estimated population, 26,000. Total deaths, 38, including phthisis pulmonalis, 5, and enteric fever, 1.

KENTUCKY—*Louisville.*—Month of November, 1896. Estimated population, 211,100. Total deaths, 223, including phthisis pulmonalis, 26; enteric fever, 3, and diphtheria, 8.

MAINE—*Portland.*—Four weeks ended October 31, 1896. Estimated population, 41,500. Total deaths, 50, including phthisis pulmonalis, 4; enteric fever, 3, and diphtheria, 1.

Four weeks ended November 28, 1896. Total deaths, 42, including phthisis pulmonalis, 3, and diphtheria, 3.

MASSACHUSETTS—*Fitchburg.*—Month of November, 1896. Estimated population, 26,409. Total deaths, 33, including phthisis pulmonalis, 2; diphtheria, 3; scarlet fever, 1, and membranous croup, 3.

North Attleboro.—Month of October, 1896. Estimated population, 6,720. Total deaths, 9, including 2 from enteric fever.

Month of November, 1896. Total deaths, 6, including 1 from phthisis pulmonalis.

West Newton.—Month of November, 1896. Estimated population, 27,590. Total deaths, 37, including phthisis pulmonalis, 2; enteric fever, 2, and diphtheria, 3.

MICHIGAN.—Week ended December 5, 1896. Reports to the State board of health, Lansing, from 58 observers, indicate that scarlet fever, diarrhea, and diphtheria increased in area of prevalence. Phthisis pulmonalis was reported present during the week at 202 places; diphtheria at 50, enteric fever at 36, scarlet fever at 35, measles at 18, and whooping cough at 12 places.

MINNESOTA—*Winona.*—Estimated population, 22,000. Total deaths 21, including phthisis pulmonalis, 1, and whooping cough, 2.

MISSOURI—*St. Louis.*—Month of November, 1896. Estimated population, 570,000. Total deaths, 632, including phthisis pulmonalis, 74; enteric fever, 7; scarlet fever, 1; diphtheria, 29; croup, 3, and whooping cough, 7.

NEW HAMPSHIRE—*Concord.*—Month of November, 1896. Estimated population, 19,000. Total deaths, 26, including phthisis pulmonalis, 3, and enteric fever, 1.

NEW JERSEY—*Paterson.*—Month of November, 1896. Estimated

population, 104,636. Total deaths, 121, including phthisis pulmonalis, 10; enteric fever, 5; diphtheria, 15, and measles, 2.

OHIO—*Dayton.*—Estimated population, 85,000. Total deaths, 83, including phthisis pulmonalis, 6; enteric fever, 2; diphtheria, 11, and membranous croup, 8.

RHODE ISLAND—*Newport.*—Month of November, 1896. Estimated population, 21,500. Total deaths, 21, including phthisis pulmonalis, 3, and enteric fever, 1.